

IN THE DRAWINGS:

Please find attached a complete set of corrected formal drawings.

A separate note to the Official Draftsman is also attached.




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5





Figure 6A






Figure 7B




Figure 8




Figure 9A




Figure 9B




Figure 10






Figure 11



NOTES:

P-○ ——— INDICATES AN INDEPENDENT OR DEPENDENT PROCESS OR TASK

Figure 12



	47	43	39	35	31	27	23	19	15	11	7	3
0												
50	46	42	38	34	30	26	22	18	14	10	6	2
0												
49	45	41	37	33	29	25	21	17	13	9	5	1
0												
48	44	40	36	32	28	24	20	16	12	8	4	0

FULL VALUE OF
EACH FIELD CAN
BE ZERO OR ONE

- NOTES:
1. EACH WORD HAS 48 BITS LABEL ZERO THROUGH FORTY-SEVEN
 2. THREE LEADING BITS I.E. 50, 49 AND 48 ARE CONTROL BITS, NOT USED FOR DATA

Figure 13





Figure 14



NOTES:
 "Pn" - INDICATES A PROCESS
 "Cn" - INDICATES A CALL OR RETURN
 "Rn" - INDICATES A READ OR WRITE PROCESS

Figure 15





Figure 16




Figure 17




Figure 18